

Annex

**Standards for Pesticide Residue Limits in Foods (Amendment part)**

Article 3

Appendix Table 1

Pesticide Residue Limits in Foods

Pesticide Name	Crop Category	Maximum Residue Limit (ppm)	Remark
Ametoctradin	Spring onion	10.0	Fungicide
Ametoctradin	Spinach	40	Fungicide
Azoxystrobin	Nectarine	1.5	Fungicide
Boscalid	Tea	10.0	Fungicide
Cyazofamid	Leaf lettuce	10.0	Fungicide
Cyazofamid	Cos lettuce	10.0	Fungicide
Cyazofamid	Swede	0.2	Fungicide
Cyclaniliprole	Apple	0.3	Insecticide
Cyclaniliprole	Pear	0.3	Insecticide
Cyclaniliprole	Tea	15	Insecticide
Cyenopyrafen	Papaya	0.3	Acaricide
Cyenopyrafen	Apple	2.0	Acaricide
Cyenopyrafen	Pear	2.0	Acaricide
Cyenopyrafen	Citrus fruit	1.5	Acaricide
Cyenopyrafen	Strawberry	3.0	Acaricide
Dinotefuran	Green garlic	2.0	Insecticide
Dinotefuran	Japanese mustard spinach	6.0	Insecticide
Dinotefuran	Leaf-swede	5.0	Insecticide
Dinotefuran	Swede	0.3	Insecticide
Etofenprox	Melon	0.06	Insecticide
Etofenprox	Cantaloupe	0.06	Insecticide
Etofenprox	Spring onion	2.0	Insecticide
Fenazaquin	Pineapple	0.2	Acaricide
Flonicamid	Citrus fruit	1.5	Insecticide
Fludioxonil	Corn	0.02	Fungicide
Flufenoxuron	Strawberry	0.3	Fungicide
Fluopyram	Peanut	0.02	Fungicide
Fluopyram	Cowpea(dry)	0.15	Fungicide
Fluopyram	Snap bean	1.5	Fungicide
Fluopyram	Lima bean	0.09	Fungicide
Fluopyram	Pea	1.5	Fungicide
Fluopyram	Pea (succulent)	0.15	Fungicide
Fluopyram	Blackberry	2.0	Fungicide
Fluopyram	Blueberry	2.0	Fungicide
Fluopyram	Current	2.0	Fungicide
Fluopyram	Strawberry	1.5	Fungicide
Fluopyram	Corn	0.02	Fungicide
Fluopyram	Sorghum	1.0	Fungicide

Fluopyram	Wheat	0.8	Fungicide
Fluopyram	Grapefruit	0.3	Fungicide
Fluopyram	Lemon	0.5	Fungicide
Fluopyram	Orange	0.5	Fungicide
Fluopyram	Onion	0.1	Fungicide
Fluopyram	Summer squash	0.3	Fungicide
Fluopyram	Cherry	1.5	Fungicide
Flutriafol	Almond	0.6	Fungicide
Flutriafol	Pecan	0.02	Fungicide
Flutriafol	Cottonseed	0.5	Fungicide
Flutriafol	Beetroot	0.07	Fungicide
Fluxapyroxad	Citrus fruit (except orange)	0.3	Fungicide
Fluxapyroxad	Citrus oil	20	Fungicide
Fluxapyroxad	Grapefruit	0.5	Fungicide
Fluxapyroxad	Lemon	0.8	Fungicide
Fluxapyroxad	Orange	0.8	Fungicide
Fluxapyroxad	Coffee bean	0.2	Fungicide
Fluxapyroxad	Mango	0.5	Fungicide
Fluxapyroxad	Spring onion	0.6	Fungicide
Fluxapyroxad	Papaya	0.4	Fungicide
Fluxapyroxad	Peanut oil	0.02	Fungicide
Fluxapyroxad	Sorghum	0.7	Fungicide
Fluxapyroxad	Sugarcane	3.0	Fungicide
Glufosinate-ammonium	Small red bean	2.0	Herbicide
Imicyafos	Melon	0.02	Insecticide
Imicyafos	Cantaloupe	0.02	Insecticide
Isofetamid	Grape	5.0	Fungicide
Kasugamycin	Green garlic	0.2	Fungicide
Kasugamycin	Chinese chive	0.2	Fungicide
Kasugamycin	Leek sprout	0.2	Fungicide
Kasugamycin	Chive flower	0.2	Fungicide
Kasugamycin	Shallot	0.2	Fungicide
Kasugamycin	Scallion	0.2	Fungicide
Mandipropamid	Ginger	0.01	Fungicide
Mandipropamid	Sweet potato	0.01	Fungicide
Mandipropamid	Taro	0.01	Fungicide
Mandipropamid	Yam bean	0.01	Fungicide
Mandipropamid	Woolly glycine	0.01	Fungicide
Mandipropamid	Hairy uraria	0.01	Fungicide
Mandipropamid	Burdoct	0.01	Fungicide
Mandipropamid	Garlic	0.1	Fungicide
Mandipropamid	Shallot bulb	0.1	Fungicide
Mandipropamid	Scallion bulb	0.1	Fungicide
Metazosulfuron	Rice	0.05	Herbicide
Metolachlor	Spring onion	2.0	Herbicide
Metrafenone	Hops	50	Fungicide
Myclobutanil	Pear	0.7	Fungicide
Myclobutanil	Perilla	0.5	Fungicide
Myclobutanil	Tea	20	Fungicide

Oxolinic acid	Cruciferous leaf vegetables with wrapped leaves	1.0	Fungicide
Phosmet	Blueberry	1.0	Insecticide
Pyraclostrobin	Rice	0.2	Fungicide
Pyraclostrobin	Spinach	2.0	Fungicide
Pyraclostrobin	Leaf-mustard	2.0	Fungicide
Pyraclostrobin	Celery	2.0	Fungicide
Pyraclostrobin	Amaranth	2.0	Fungicide
Pyraclostrobin	Leaf-beet	2.0	Fungicide
Pyraclostrobin	Okra	0.5	Fungicide
Pyraclostrobin	Wasabi	0.5	Fungicide
Pyraclostrobin	Swede	0.5	Fungicide
Pyraclostrobin	Black salsify	0.5	Fungicide
Pyraclostrobin	Quinoa	0.5	Fungicide
Pyrifluquinazon	Apple	0.3	Insecticide
Pyrifluquinazon	Nectarine	0.4	Insecticide
Pyrifluquinazon	Pear	0.5	Insecticide
Pyrifluquinazon	Persimmon	0.3	Insecticide
Pyrifluquinazon	Plum	0.1	Insecticide
Pyrifluquinazon	Citrus fruit	0.5	Insecticide
Pyrifluquinazon	Grape	1.0	Insecticide
Pyrifluquinazon	Strawberry	1.0	Insecticide
Pyrifluquinazon	Tea	15	Insecticide
Pyrimethanil	Blackberry	4.0	Fungicide
Pyrimethanil	Blueberry	7.0	Fungicide
Pyrimethanil	Raspberry	10.0	Fungicide
Pyriofenone	Grape	2.0	Fungicide
Pyriofenone	Strawberry	1.5	Fungicide
Quinclorac	Cranberry	1.5	Herbicide
Saflufenacil	Chickpea	0.3	Herbicide
Saflufenacil	Linseed	0.6	Herbicide
Saflufenacil	Lentil	0.3	Herbicide
Saflufenacil	Safflower seed	0.6	Herbicide
Saflufenacil	Wheat	0.3	Herbicide
Silafluofen	Apple	2.0	Insecticide
Silafluofen	Citrus fruit	2.0	Insecticide
Spinetoram	Radish	0.02	Insecticide
Spinetoram	Swede	0.02	Insecticide
Spinetoram	Wasabi	0.02	Insecticide
Spiromesifen	Broccoli	1.0	Acaricide
Spiromesifen	Cabbage	2.0	Acaricide
Spiromesifen	Citrus	1.0	Acaricide
Spiromesifen	Cucumber	0.08	Acaricide
Spiromesifen	Summer squash	0.09	Acaricide
Spiromesifen	Melon	0.1	Acaricide
Spiromesifen	Cantaloupe	0.1	Acaricide
Spiroxamine	Banana	3.0	Fungicide
Spiroxamine	Grape	0.5	Fungicide
Sulfentrazone	Blueberry	0.1	Herbicide

Sulfentrazone	Snap bean (dry)	0.05	Herbicide
Sulfentrazone	Pea (dry)	0.1	Herbicide
Sulfentrazone	Hazelnut	0.1	Herbicide
Sulfentrazone	Potato	0.1	Herbicide
Tecloftalam	Green garlic	1.0	Fungicide
Tecloftalam	Chinese chive	1.0	Fungicide
Tecloftalam	Leek sprout	1.0	Fungicide
Tecloftalam	Chive flower	1.0	Fungicide
Tecloftalam	Shallot	1.0	Fungicide
Tecloftalam	Scallion	1.0	Fungicide
Trinexapac-ethyl	Barley	2.0	Herbicide
Trinexapac-ethyl	Wheat	4.0	Herbicide
Zoxamide	Onion	0.7	Fungicide

## Article 4

### Appendix Table 3

#### List of Pesticide MRLs Omitted

Name of Pesticide
<i>Bacillus amyloliquefaciens QST713</i>

## Article 6

### Appendix Table 5

#### Classification of Crops for the Pesticide Residue Limits in Foods

Group	Crop
4. Dry beans	Snap bean (dry)
6. Leaf vegetables with small leaves	Japanese mustard spinach
6. Leaf vegetables with small leaves	Leaf-swede

Annex

**Standards for Pesticide Residue Limits in Animal Products**  
 (Amendment part)

Article 3

Pesticide Name	Tissue	Species	Maximum Residue limit (ppm)	Symbols
Acetamiprid	Muscle、fat	Livestock (except pig)	0.1	Insecticide
Acetamiprid	Edible offal	Livestock (except pig)	0.2	Insecticide
Acetamiprid	Liver	Poultry	0.05	Insecticide
Acetamiprid	Milk		0.2	Insecticide
Acetamiprid	Egg		0.01	Insecticide
Azoxystrobin	Edible offal (except liver)、fat	Livestock	0.05	Fungicide
Azoxystrobin	Liver	Livestock	0.07	Fungicide
Clothianidin	Liver	Livestock	0.2	Insecticide
Clothianidin	Muscle、fat、 Edible offal (except liver)	Livestock	0.02	Insecticide
Clothianidin	Edible offal	Poultry	0.02	Insecticide
Clothianidin	Milk		0.02	Insecticide
Cyfluthrin	Muscle	Livestock	0.02	Insecticide
Cyfluthrin	Fat	Livestock (except pig)	0.2	Insecticide
Cyfluthrin	Fat	Pig	0.1	Insecticide
Cyfluthrin	Edible offal、Fat	Poultry	0.05	Insecticide
Fipronil	Muscle、Edible offal (except liver、kidney)	Livestock (except pig)	0.04	Insecticide
Fipronil	Liver	Livestock (except pig)	0.1	Insecticide
Fipronil	Kidney	Livestock (except pig)	0.02	Insecticide
Fipronil	Fat	Livestock (except pig)	0.4	Insecticide
Fipronil	Muscle、edible offal (except liver)	Pig	0.01	Insecticide
Fipronil	Liver、Fat	Pig	0.02	Insecticide
Fipronil	Muscle	Poultry	0.01	Insecticide
Fipronil	Edible offal、fat	Poultry	0.02	Insecticide
Fipronil	Milk		0.02	Insecticide
Fludioxonil	Edible offal、fat	Livestock (except pig)	0.05	Fungicide
Fludioxonil	Liver、kidney	Poultry	0.05	Fungicide

Flutolanil	Liver 、 kidney	Livestock	0.5	Fungicide
Flutolanil	Edible offal (except liver 、 kidney) 、 muscle 、 fat	Livestock	0.05	Fungicide
Flutolanil	Muscle 、 edible offal 、 fat	Poultry	0.05	Fungicide
Flutolanil	Milk		0.05	Fungicide
Flutolanil	Egg		0.05	Fungicide
Flutriafol	Liver	Livestock	0.5	Fungicide
Flutriafol	Kidney	Livestock	0.1	Fungicide
Flutriafol	Muscle 、 edible offal (except liver 、 kidney) 、 fat	Livestock	0.05	Fungicide
Flutriafol	Edible offal (except kidney) 、 fat	Poultry	0.05	Fungicide
Flutriafol	Kidney	Poultry	0.02	Fungicide
Flutriafol	Egg		0.05	Fungicide
Imidacloprid	Edible offal	Livestock	0.3	Insecticide
Imidacloprid	Muscle 、 Fat	Livestock	0.05	Insecticide
Imidacloprid	Liver	Poultry	0.05	Insecticide
Imidacloprid	Muscle 、 edible offal (except liver) 、 fat	Poultry	0.02	Insecticide
Imidacloprid	Milk		0.1	Insecticide
Imidacloprid	Egg		0.02	Insecticide
Tebuconazole	Edible offal (except kidney)	Livestock	0.2	Fungicide
Tebuconazole	Kidney 、 muscle 、 fat	Livestock	0.05	Fungicide
Tebuconazole	Muscle 、 edible offal 、 fat	Poultry	0.05	Fungicide
Tebuconazole	Egg		0.05	Fungicide
Thiamethoxam	Muscle	Livestock	0.02	Insecticide
Thiamethoxam	Milk		0.05	Insecticide
Trifloxystrobin	Muscle	Livestock (except pig)	0.05	Fungicide
Trifloxystrobin	Kidney	Livestock (except pig)	0.04	Fungicide
Trifloxystrobin	Edible offal (except liver 、 kidney)	Livestock (except pig)	0.07	Fungicide
Trifloxystrobin	Fat	Livestock (except pig)	0.1	Fungicide
Trifloxystrobin	Muscle 、 edible offal 、 fat	Pig 、 Poultry	0.02	Fungicide
Trifloxystrobin	Milk		0.02	Fungicide
Trifloxystrobin	Egg		0.02	Fungicide