

### Standards for Pesticide Residue Limits in Foods (Amendment part)

## Article 3

## Appendix Table 1

## Pesticide Residue Limits in Foods

Pesticide Name	Crop Category	Maximum Residue Limit (ppm)	Remark
Acequinocyl	Strawberry	1.0	Acaricide
Acetamiprid	Pitaya flower	0.1	Insecticide
Afidopyropen	Tea	2.0	Insecticide
Ametoctradin	Hops	80.0	Fungicide
Azoxystrobin	Pitaya flower	0.3	Fungicide
Boscalid	Grapes	5.0	Fungicide
Chlorfenapyr	Strawberry	0.5	Insecticide
Chlorpyrifos	Chrysanthemum	0.8	Insecticide
Chlorpyrifos	Cocoa bean	0.05	Insecticide
Chlorpyrifos	Coffee bean	0.2	Insecticide
Chlorpyrifos	Edible corn oil	0.2	Insecticide
Chlorpyrifos	Large berries	0.5	Insecticide
Chlorpyrifos	Lily	0.5	Insecticide
Chlorpyrifos	Lotus	0.5	Insecticide
Chlorpyrifos	Lotus seed(dry)	0.1	Insecticide
Chlorpyrifos	Mung bean	0.1	Insecticide
Chlorpyrifos	Others (vegetables and fruits)*	0.01*	Insecticide
Chlorpyrifos	Peanuts	0.1	Insecticide
Chlorpyrifos	Rose(dry)	2.0	Insecticide
Chlorpyrifos	Rose(fresh)	0.5	Insecticide
Chlorpyrifos	Small berries	1.0	Insecticide
Chlorpyrifos	Small red beans	0.1	Insecticide
Chlorpyrifos	Sweet sops	0.5	Insecticide
Chlorpyrifos	Tea	2.0	Insecticide
Chlorpyrifos	Tea seed	0.1	Insecticide
Chlorpyrifos	Other cereals and crops	0.5	Insecticide
Chlorpyrifos	Others (cereal grains)*	0.02*	Insecticide

<b>Pesticide Name</b>	<b>Crop Category</b>	<b>Maximum Residue Limit (ppm)</b>	<b>Remark</b>
Chlorpyrifos	Others (tea)*	0.05*	Insecticide
Cyantraniliprole	Broad bean (fresh)	1.0	Insecticide
Cyantraniliprole	Cowpea (fresh)	1.0	Insecticide
Cyantraniliprole	Goa Bean	1.0	Insecticide
Cyantraniliprole	Lentil	1.0	Insecticide
Cyantraniliprole	Lima bean	1.0	Insecticide
Cyantraniliprole	Pea	1.0	Insecticide
Cyantraniliprole	Pigeon Pea (fresh)	1.0	Insecticide
Cyantraniliprole	Snap bean	1.0	Insecticide
Cyantraniliprole	Sword beans	1.0	Insecticide
Cyantraniliprole	Vegetable soybean	1.0	Insecticide
Cyantraniliprole	White dutch runner bean (fresh)	1.0	Insecticide
Cyflufenamid	Indian jujubes	0.15	Fungicide
<del>Dieofol</del>	<del>Tea</del>	<del>3.0</del>	<del>Acaricide</del>
Fenazaquin	Eggplant	0.1	Acaricide
Fonicamid	Strawberry	0.7	Insecticide
Fluopyram	Burdock	0.03	Fungicide
Fluopyram	Chinese chive	0.7	Fungicide
Fluopyram	Citrus fruit	0.5	Fungicide
Fluopyram	Cos lettuce	0.7	Fungicide
Fluopyram	Cruciferous leaf vegetables with small leaves	0.7	Fungicide
Fluopyram	Fireweed	0.7	Fungicide
Fluopyram	Garland chrysanthemum	0.7	Fungicide
Fluopyram	Garlic	0.03	Fungicide
Fluopyram	Ginger	0.03	Fungicide
Fluopyram	Grapefruit	0.5	Fungicide
Fluopyram	Gynura Oralis Hay	0.7	Fungicide
Fluopyram	Gynura's Deux Couleurs	0.7	Fungicide
Fluopyram	Leaf lettuce	0.7	Fungicide
Fluopyram	Leek sprout	0.7	Fungicide
Fluopyram	Lime	0.5	Fungicide
Fluopyram	Peanut	0.1	Fungicide

<b>Pesticide Name</b>	<b>Crop Category</b>	<b>Maximum Residue Limit (ppm)</b>	<b>Remark</b>
Fluopyram	Pomelo	0.5	Fungicide
Fluopyram	Radish	0.03	Fungicide
Fluopyram	Small red bean	0.1	Fungicide
Fluopyram	Spinach	0.7	Fungicide
Fluopyram	Spring onion	0.7	Fungicide
Fluopyram	Swede	0.03	Fungicide
Fluopyram	Sweet potato	0.03	Fungicide
Fluopyram	Taro	0.03	Fungicide
Fluopyram	Yam	0.03	Fungicide
Fluopyram	Yam bean	0.03	Fungicide
Mefentrifluconazole	Apple	0.9	Fungicide
Mefentrifluconazole	Banana	1.0	Fungicide
Mefentrifluconazole	Barley	2.0	Fungicide
Mefentrifluconazole	Blackberry	1.5	Fungicide
Mefentrifluconazole	Cantaloupe	0.3	Fungicide
Mefentrifluconazole	Carrot	0.4	Fungicide
Mefentrifluconazole	Coffee bean	0.2	Fungicide
Mefentrifluconazole	Corn	0.02	Fungicide
Mefentrifluconazole	Grapefruit	0.5	Fungicide
Mefentrifluconazole	Grapes	1.5	Fungicide
Mefentrifluconazole	Head lettuce	2.5	Fungicide
Mefentrifluconazole	Hot pepper	0.9	Fungicide
Mefentrifluconazole	Lemon	1.0	Fungicide
Mefentrifluconazole	Melon	0.3	Fungicide
Mefentrifluconazole	Onion	0.2	Fungicide
Mefentrifluconazole	Orange	0.6	Fungicide
Mefentrifluconazole	Peach	1.5	Fungicide
Mefentrifluconazole	Pear	1.5	Fungicide
Mefentrifluconazole	Plum	1.5	Fungicide
Mefentrifluconazole	Potato	0.02	Fungicide
Mefentrifluconazole	Radish	0.4	Fungicide
Mefentrifluconazole	Soybean	0.4	Fungicide
Mefentrifluconazole	Spring onion	2.5	Fungicide
Mefentrifluconazole	Strawberry	1.5	Fungicide

<b>Pesticide Name</b>	<b>Crop Category</b>	<b>Maximum Residue Limit (ppm)</b>	<b>Remark</b>
Mefentrifluconazole	Sugarcane	1.5	Fungicide
Mefentrifluconazole	Sunflower seed	0.15	Fungicide
Mefentrifluconazole	Sweet pepper	0.9	Fungicide
Mefentrifluconazole	Tomato	0.7	Fungicide
Mefentrifluconazole	Watermelon	0.3	Fungicide
Mefentrifluconazole	Wheat	0.3	Fungicide
Metalaxyl	Yam	0.4	Fungicide
Oxathiapiprolin	Cucumber	0.03	Fungicide
<b>Paraquat</b>	<b>Rice</b>	<b>0.2</b>	<b>Herbicide</b>
Piperonyl butoxide	Almond	8.0	Insecticide
Piperonyl butoxide	Blueberry	8.0	Insecticide
Piperonyl butoxide	Grapes	8.0	Insecticide
Pydiflumetofen	Eggplant	0.4	Fungicide
Pydiflumetofen	Hot pepper	0.4	Fungicide
Pydiflumetofen	Lycii fructus	0.4	Fungicide
Pydiflumetofen	Pepino	0.4	Fungicide
Pydiflumetofen	Tree tomato	0.4	Fungicide
Pyrethrins	Almond	1.0	Insecticide
Pyrethrins	Blueberry	0.2	Insecticide
Pyrethrins	Grapes	0.4	Insecticide
Pyribencarb	Prune	2.0	Fungicide
Spinetoram	Litchi	0.1	Insecticide
Spiropidion	Citrus	0.15	Insecticide
Tebuconazole	Bitter melon	0.2	Fungicide
Tebuconazole	Bottle gourd	0.2	Fungicide
Tebuconazole	Gac fruit	0.2	Fungicide
Tebuconazole	Luffa	0.2	Fungicide
Tebuconazole	Oriental pickling melon	0.2	Fungicide
Tebuconazole	Pumpkin	0.2	Fungicide
Tebuconazole	Vegetable pear	0.2	Fungicide
Tebuconazole	Wax gourd	0.2	Fungicide

「 \* 」 doesn't mean the crops approved to use pesticide, it established according to the limit of quantitation (LOQ) of the analytical method. It applies to the crops except as otherwise listed under the chemical and the crops with the same LOQ of the analytical method.

**Note 8: (Grace periods for food commodities with pesticide MRLs revocation)**

Starting from 1 of April in 2024, within the grace periods based on the shelf life of various crops, the specific crops listed (without \*) contain pesticide residues compliant with the MRLs before the enforcement of revocation, can still be manufactured, processed, prepared, packaged, transported, stored, sold, imported, exported, presented as a gift or publicly displayed.

The grace periods for specific crops are listed as follows: 3 months for fresh edible flower; 1 year for fruits and vegetables, spices and herbs (incl. dry edible flower); 2 years for dry beans (incl. pulses and oilseeds), coffee and cocoa beans; 3 years for rice, other cereals (e.g. corn/maize, sorghum, Job’s tears, millet, quinoa, buckwheat) and tea.

Article 6

Appendix Table 5

Classification of Crops for the Pesticide Residue Limits in Foods

<b>Group</b>	<b>Crop</b>
22.(4) Herbs	Myoga
22.(4) Herbs	Pitaya flower